

Trade name	Active principle	Therapeutic dose	Practical dose	Route of administration	Indication	N.B
1- DEXAMETHASON	Dexamethason Na ph (2mg/ml)	1 mg / kg B.wt	Cattle & horse: 5-12 ml Calves ,sheep: 1-3 ml	I/M & I/V every 24 hr	Anti- inflammatory	Contraindicated in case of late pregnancy & lactating animals
2-PHENYLOJECT	Phenylbutazone (200mg/ml)	4 mg /kg B.wt	Cattle: 2.5 ml/100kg Horse: 10 ml/kg Sheep: 1 ml/kg	I/M & I/V every 24 hr	Anti- inflammatory	Safe for pregnancy
3-FINADYNE	Flunixin meoglumine (50 mg/ml)	Cattle: 2.2mg/kg Horse: 1.1 mg/kg	Cattle: 2 ml/45 kg B.wt Horse: 1 ml/45 kg	I/M & I/V every 24 hr	Anti- inflammatory, analgesic & antipyretic	*in case of equine colic pain is relieve within 15 m` *avoid mixing with other medication
4-PREDEF 2X	Isoflpredone acetate	0.02 mg /kg	Cattle & horse: 5-10 ml	I/M every 24 hr	Anti- inflammatory	